

I-SHEET NUMBER: INST-00045 PART NUMBER: GFF15-RCTX

PRODUCT: Growler Running Board

APPLICATION: **2015-18 F-150** 


2017-18 F-250, F-350

| HARDWARE DESCRIPTION |   | QTY. |
|----------------------|---|------|
| HWKT-05694X          |   | ζii. |
| FLHB-00688           | 3/8"-16 X 1" GR. 5 HEX SERRATED FLANGE BOLT | 8    |
| FLNT-00696           | M8-1.25 CLASS 8 SERRATED FLANGE NUT         | 8    |

| PARTS INCLUDED                 |  |
|--------------------------------|--|
| Running Boards                 |  |
| Rocker Panel mounting Brackets |  |
| Threaded clamp plates          |  |








**Step 1:** Starting with the Driver Side. Remove all 8mm flange nuts from the 8mm factory threaded studs to remove the OE running boards. Repeat for passenger side.



<u>Step 2:</u> Install two of the supplied frame brackets (both sides) to the factory stud locations and hand tighten using the supplied 8mm nuts.

\*\*\* BRACKET ORINTATION \*\*\*





I-SHEET NUMBER: INST-00045 PART NUMBER: GFF15-RCTX

PRODUCT: Growler Running Board

APPLICATION: 2015-18 F-150

2017-18 F-250, F-350

Step 3: Set running board along the top of the two brackets and center along the cab.




<u>Step 4:</u> Insert the supplied threaded brackets (X2) inside the running board lip over the top of each bracket.

**Step 5:** With the supplied 3/8" x 1" hex bolts, secure each mounting location and leave loose.

**Step 6:** After final adjustment, tighten all running board threaded mounts.

**Step 7:** Next, adjust frame brackets so the running board is level with body of the vehicle and tighten all factory-mounting locations.



**Step 8:** Repeat steps 2-7 for passenger side. Your install is now complete.