

I-SHEET: **INST-00043**


PART NUMBER: GFT05CC-TX, GFT05QC-TX

PRODUCT: Growler Running Board **APPLICATION: 2005-19 TOYOTA TACOMA CREW CAB, QUAD CAB**

HARDWARE DESCRIPTION	QTY.	
HWKT-00024X		
M8-1.25 X 30MM FLANGED CAP	12	
SCREW W/WASHER		
8/8"-16 X 1" HEX SERRATED		
FLANGED BOLT	12	


HWKT-00024X		
M8-1.25 X 30MM FLANGED CAP SCREW W/WASHER	12	
3/8"-16 X 1" HEX SERRATED FLANGED BOLT	12	
PARTS INCLUDED	QTY	
Running Board	2	
Rocker Panel mounting Brackets	6	
Threaded clamp plates	6	
_		






Step 1 Beginning with the driver side, remove the factory hardware and discard.

<u>Step 2</u> Next, install the three rocker panel mounting brackets with the supplied M8x25mm Hex bolts with integrated washers and leave loose.



Step 3: Set running board along the top of all three brackets and center along the cab.





I-SHEET: **INST-00043**

PART NUMBER: GFT05CC-TX, GFT05QC-TX

PRODUCT: **Growler Running Board**APPLICATION: **2005-19 TOYOTA TACOMA**

CREW CAB, QUAD CAB

<u>Step 4:</u> Insert the supplied threaded brackets (x3) inside the running board lip over the top of each bracket.

Step 5: With the supplied 3/8" x 1" hex bolts, secure each mounting location and leave loose.

Step 6: After final adjustment, tighten all running board threaded mounts.

Step 7: Next, adjust frame brackets so the running board is level with body of the vehicle and tighten all factory-mounting locations.

Step 8: Re-peat steps 2-7 for passenger side.

