



# Installation Instructions

Rear Fender Flare

SKU: JK1005

2007-2016 Jeep JK 4 Door

---

## SAFETY

---

**Your safety and the safety of others is very important.**

- In order to help you make informed decisions about safety, we have provided installation instructions and other information.
- These instructions alert you to potential hazards that could hurt you or others.
- Please do a job safety analysis (JSA) before each task to identify potential hazards for your situation and remove/protect against them.
- You must use your own good judgment, and take your time.

**Read and understand all safety precautions and instructions before installing this product.**

THIS PRODUCT IS FOR OFFROAD USE ONLY. ALL LIABILITY FOR INSTALLATION AND USE RESTS WITH THE OWNER.

**CARELESS INSTALLATION AND OPERATION CAN RESULT IN SERIOUS INJURY OR EQUIPMENT DAMAGE.**

---

## Injury hazard

---

**Failure to observe these instructions could lead to severe injury or death.**

- Always** remove jewelry and wear eye protection.
- Always** use appropriate and adequate care in lifting components into place.
- Always** insure components will remain secure during installation and operation.
- Always** wear safety glasses when installing this kit
- Always** use extreme caution when cutting and trimming during fitting.
- Always** tighten all nuts and bolts securely per installation instructions.
- Always** perform regular inspections and maintenance on mounts and related hardware.





## Installation Instructions

### Rear Fender Flare

**SKU: JK1005**

2007-2016 Jeep JK 4 Door

## Overview

Congratulations on your new purchase of the rear fender flare assembly.

Your flares were designed in 3-D from digitized data, CNC laser cut, fabricated, and powder coated... all in the U.S.A. Enjoy the fit and finish of a quality rear fender flare from Fab Fours, Inc.





## Installation Instructions

### Rear Fender Flare

SKU: JK1005


2007-2016 Jeep JK 4 Door

## I. Tools Required

- Allen wrenches

## II. Installation

1. Start by removing fender skin. You can do this by removing bolts shown below.



2. Next place fender flare on fender, lining up mounting holes. Start by re-installing the three short bolts to hold flare in place.

3. Next re-install remaining hardware. Once all hardware is installed you can now tighten all the hardware, securing the flare to vehicle.





## Installation Instructions

Rear Fender Flare

SKU: JK1005

2007-2016 Jeep JK 4 Door

### III. Maintenance/Care

- Periodically check and tighten all nuts.
- Stripped, fractured, or bent bolts or nuts need to be replaced.

